



Industry
Canada

Industrie
Canada

Canada

Français
Home

Contact Us
Site Map

Help
What's New

Search
About Us

Canada Sit
Registration

Strategis Index:

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#)
[Z](#)

strategis.gc.ca

CIPO  OPIC



Canadian Patents Database

02/04/2003 - 14:38:50

(12) **Patent Application:**

(11) **CA 2209014**

(54) **BLEACHING OF FILLED PAPER**

(54) **BLANCHIMENT DU PAPIER CHARGE**

[View or Download Images](#)

ABSTRACT:

The present invention discloses the use of bleaching agents to increase the brightness of filled paper. In the process of the present invention, filled paper is treated with bleaching agents during the papermaking process. The process may be used on all grades of paper that contain filler. However, the present invention is particularly useful on low brightness grade papers that are produced from mechanical pulps and contain a calcium carbonate.

CLAIMS: [Show all claims](#)

*** Note: Data on abstracts and claims is shown in the official language in which it was submitted.

(72) <u>Inventors</u> (Country):	DRUMMOND, DONALD KENDALL (United States)
(73) <u>Owners</u> (Country):	MINERALS TECHNOLOGIES INC. (United States)
(71) <u>Applicants</u> (Country):	MINERALS TECHNOLOGIES INC. (United States)
(74) <u>Agent</u> :	MARKS & CLERK
(45) <u>Issued</u> :	
(22) <u>Filed</u> :	Nov. 16, 1995
(43) <u>Laid Open</u> :	July 4, 1996
<u>Examination requested</u> :	Oct. 3, 2002
(51) <u>International Class (IPC)</u> :	D21C 9/10 D21H 21/32

Patent Cooperation Treaty (PCT): Yes

(85) National Entry:	June 27, 1997
(86) PCT Filing number:	PCT/US1995/014995
(87) International publication number:	WO1996/020308

(30) Application priority data:

Application No.	Country	Date
08/365,253	United States	Dec. 28, 1994

Availability of licence:

N/A

Language of filing:

English

View or Download Images :

- ☒ Cover Page Image
- ☐ Abstract Image
- ☐ Claims Image
- ☐ Disclosures Image
- ☐ Drawings Image
- ☐ Representative Drawing Image


[View the Image](#)

[Download in Adobe PDF](#)

[Top of Page](#)

Last Modified: 2001/06/13

[Important notices and disclaimers](#)
[Privacy Statement](#)



(21) (A1) **2,209,014**
(86) 1995/11/16
(87) 1996/07/04

(72) DRUMMOND, Donald Kendall, US
(71) Minerals Technologies Inc., US
(51) Int.Cl.⁶ D21H 21/32, D21C 9/10
(30) 1994/12/28 (08/365,253) US
(54) **BLANCHIMENT DU PAPIER CHARGÉ**
(54) **BLEACHING OF FILLED PAPER**

(57) L'invention porte sur l'utilisation d'agents de blanchiment destinés à augmenter la blancheur du papier chargé. Selon ce procédé, le papier chargé est traité avec des agents de blanchiment pendant le processus de fabrication du papier. Ce procédé peut s'appliquer à toutes les qualités de papier qui contiennent une matière de charge. Toutefois, l'invention s'avère particulièrement utile pour des papiers dont le degré de blancheur est peu élevé et qui sont fabriqués à partir de pâtes mécaniques et contenant de carbonate de calcium.

(57) The present invention discloses the use of bleaching agents to increase the brightness of filled paper. In the process of the present invention, filled paper is treated with bleaching agents during the papermaking process. The process may be used on all grades of paper that contain filler. However, the present invention is particularly useful on low brightness grade papers that are produced from mechanical pulps and contain a calcium carbonate.



ABSTRACT OF THE DISCLOSURE

The present invention discloses the use of bleaching agents to increase the brightness of filled paper. In the process of the present invention, filled paper is treated with bleaching agents during the papermaking process. The process may be used on all grades of paper that contain filler. However, the present invention is particularly useful on low brightness grade papers that are produced from mechanical pulps and contain a calcium carbonate.

- 13 -

C L A I M S

1. A method of improving the brightness of filled paper comprising treating a filled paper with an effective amount of bleaching agent selected from hydrogen peroxide, sodium borohydride and sodium hydrosulfite.
2. The method of claim 1, wherein the paper filler is calcium carbonate and the bleaching agent is sodium borohydride, hydrogen peroxide, or sodium hydrosulfite.
3. The method of claim 1, wherein the paper filler is selected from the group consisting of calcium carbonate, clay, talc, and synthetic silicon based fillers and wherein the bleaching agent is sodium hydrosulfite.
4. A method of improving the brightness of a calcium carbonate-containing paper comprising treating the paper with an effective amount of a bleaching agent containing hydrogen peroxide.
5. An improved paper prepared according to any one of the preceding claims.

- 1 -

BLEACHING OF FILLED PAPERField of the Invention

The present invention relates to a method for improving the optical properties of filled paper. More particularly, the present invention relates to a method for improving the brightness of paper containing calcium carbonate by treating the filled paper with bleaching agents.

Papers produced according to the process of the above invention allow papermakers to charge a premium price for the product, while obtaining improved optical properties without significantly increasing the cost of production.

The invention may be used on all grades of paper that contain filler. However, the invention is particularly useful on paper that is produced from mechanical pulps.

Background of the Invention

One of the most important characteristics of paper is the degree of whiteness of the paper. Generally, the whiter the paper, the higher the selling price. Efforts on the part of papermakers to obtain whiter papers have been directed to treatment of the pulp by subjecting it to bleaching agents such as alkaline hypochlorite. However, in

- 2 -

bleaching the pulp, large quantities of bleaching agents are required. This contributes to increased production cost, as well as inefficient use and consumption of bleaching agents.

Papermakers who produce paper from mechanical pulps lose brightness due to alkaline darkening of the pulp when fillers such as calcium carbonate are used in the papermaking process. This darkening effect restricts the use of certain fillers, such as calcium carbonate, as well as reduces the price that can be charged for papers whose optical properties are less than desired. Because of the increased cost of using current bleaching techniques, a more economical bleaching technique is required. Additionally, because of the darkening that occurs in paper that contain mechanical pulps and fillers such as calcium carbonate, a technique to regain the brightness losses in this type of paper is required.

What has been found to be novel and unanticipated by the prior art is a process for bleaching papers containing mechanical pulps and fillers such as calcium carbonate, clay, and talc.

It is therefore an object of the present invention to provide a process for brightening filled paper. Another object of the present invention is to provide an economical process for the production of quality paper produced from mechanical pulps and calcium carbonate. Yet another object of the present invention is to provide a finished paper product that is particularly useful in applications where a high degree of whiteness is required. A further object of the invention is to allow the

- 3 -

papermaker to increase the brightness of paper without the use of an expensive bleaching plant. A final object of the invention is to allow the papermaker to use calcium carbonate fillers and mechanical pulps for producing paper without suffering the effects of alkaline darkening.

These and other objects of the present invention will become apparent as further provided in the detailed specification which follows.

Prior Related Art

U.S. Pat. No. 2,150,926 discloses a process for bleaching sheet materials formed of fibrous pulp of vegetable origin by using hydrogen peroxide or substances generating hydrogen peroxide in solution.

U.S. Pat. No. 2,510,595 discloses bleaching of groundwood paper with an alkaline solution containing a per-compound, such as hydrogen peroxide, and a phosphate.

U.S. Pat. No. 2,613,579 discloses simultaneous bleaching and sizing of paper sheets with an alkaline aqueous solution of hydrogen peroxide and a wax dispersion.

According to Tang, "Stabilization of Paper Through Sodium Borohydride Treatment", American Chemical Society, Pages 212, 427-441 (1986), reducing agents, such as sodium borohydride have been used to brighten paper.

None of the above referenced subject matter in whole or in part suggests that filled paper produced with mechanical pulps can be brightened through the use of various bleaching agents.

Summary of the Invention

What has been found to be novel and unanticipated by prior art is a method for

- 4 -

improving the optical properties of filled paper by bleaching the paper.

The process of the present invention is useful on grades of paper that contain filler. The invention is especially useful on grades of paper that are produced from mechanical pulps and calcium carbonate filler.

Detailed Description of the Invention

The process of the present invention is useful on grades of paper that contain filler. The present invention is especially useful on grades of paper that are produced from mechanical pulps and contain calcium carbonate.

Calcium carbonate fillers that are useful in the present invention include, but are not limited to, any calcium carbonate containing mineral, for example, limestone, chalk, dolomite, and synthetically produced precipitated calcium carbonate. Other mineral fillers useful in the present invention include talcs, clays, and synthetic silicon based fillers. The filled paper is produced using standard papermaking techniques well known in the art. The filled paper may contain from about 1 percent to about 40 percent by weight filler. The preferred weight of the filler in the paper is dependent upon the particular grade of paper being produced.

Bleaching agents useful in the method of the present invention may be any type of bleaching agent. Bleaching agents especially useful in the method of the present invention are selected from the group consisting of hydrogen peroxide, sodium borohydride, and sodium hydrosulfite. The bleaching agents may be applied as an aqueous solution containing from about 0.1 percent by weight to about 50

- 5 -

percent by weight bleaching agent. Preferably, from about 0.1 percent by weight to about 5 percent by weight based on the weight of the paper is used. More preferably, the level of treating agent is from about 0.1 percent by weight to about 2 percent by weight. The bleaching agent may be applied to the paper after it is produced, such as for example, at the size press or rewinders.

It is believed that when paper containing calcium carbonate is bleached with hydrogen peroxide, the alkalinity of the calcium carbonate activates the hydrogen peroxide, resulting in a greater improvement in brightness. What is being suggested here is a theory of why the method of the present invention allows for the bleaching of calcium carbonate containing paper. It should be accepted only as a theory and should not under any conditions whatsoever be employed to limit the scope of the present invention, which is further illustrated by the Examples which follow, and more specifically defined by the Claims.

Examples

Example 1

Comparative Turbulent-Pulse Former (manufactured by Paper Research Materials, Inc., Camas, WA) handsheets were prepared using a pulp prepared from 100 percent deinked newsprint supplied by Garden State Paper in Garfield, New Jersey. The pulp was diluted with deionized water to a consistency of about 0.5 percent. Shear speed on the Turbulent Pulse Former was 1000 RPM. Retention agent (high molecular weight cationic or anionic polyacrylamide) was added at about 0.05 percent. Three sets of 40-

- 6 -

pound (basis weight) handsheets were prepared containing no filler, 5.5 percent ANSILEX (calcined clay) filler, and 5.6 percent precipitated calcium carbonate filler. The sheets were pressed using a nip pressure of 25 psi and dried on a rotating chrome-plated drum at a temperature of 125°C. The sheets were conditioned at 50 percent relative humidity and 23°C. for a minimum of 24 hours prior to testing. The brightness of the resulting papers was tested using TAPPI test method T452-OM92. The handsheets were subjected to a bleaching treatment of either sodium borohydride or sodium hydrosulfite, in aqueous solution for 1 minute. The bleached handsheets were then pressed and dried again for re-testing. The results are shown in Table 1.

WO 96/20308

PCT/US95/14995

- 7 -

TABLE 1

Handsheet	Bleaching Treatment		
	None	1 lb./ton NaBH_4	20 lbs./ton $\text{Na}_2\text{S}_2\text{O}_4$
No Filler (Blank)	55.0	55.3	55.3
5.5 % ANSILEX Filled (Calcined Clay)	59.1	60.1	59.8
5.6 % Precipitated Calcium Carbonate Filled	56.5	57.9	59.3

Table 1 shows improved brightness is obtained by bleaching clay or calcium carbonate containing papers.

- 8 -

Example 2

Comparative Turbulent-Pulse Former handsheets were prepared from a furnish of Miramichi Dry Groundwood pulp and deionized water. The pulp was mechanically milled on a Disintegrator for 25 minutes and then blended for 2 minutes, after adjusting the pulp consistency to 0.55 percent using deionized water. Retention agent (high molecular weight cationic or anionic polyacrylamide) was added at about 0.05 percent. The sheets were filled with either precipitated calcium carbonate or chalk at target filler levels of 5 and 10 percent. The handsheets were pressed, dried, and conditioned as described in Example 1 prior to testing. The sheets were then subjected to a 1 minute bleaching treatment using 2.5 ml of 0.11 percent hydrogen peroxide solution (10 lb./ton bleach) or 2.5 ml. of 0.22 percent hydrogen peroxide solution (20 lbs./ton bleach). The sheets were then pressed, dried, and conditioned as in Example 1 prior to re-testing. The results are shown in Table 2.

WO 96/20308

PCT/US95/14995

- 9 -

TABLE 2

HYDROGEN PEROXIDE BLEACHING							
Sheet Type	% Filler	PH	Basis Wt. (lb _g /3000 Ft ²)	Brightness No Bleach	Brightness 10 lbs/ton Bleach	Brightness 20 lbs/ton Bleach	Increase in Brightness (20 lbs/ton)
Precipitated Calcium Carb nate	10.6	9.5	41.0	54.6	56.9	57.9	+3.3
Faxe Chalk	4.7	6.3	42.3	55.0	55.1	55.9	+0.9

- 10 -

Example 3

In the same manner as described in Example 2, Turbulent-Pulse Former handsheets were prepared using a furnish prepared from Miramichi Dry Groundwood pulp and deionized water at a consistency of 0.55 percent. Retention agent was added at 0.05 percent. The sheets contained precipitated calcium carbonate or calcined clay or chalk or talc as fillers, at filler target levels of 5 and 10 percent. The sheets were pressed, dried, and conditioned as in Example 2 prior to testing. The sheets were then subjected to a 31 minute treatment of 2.5 ml of either 0.11 percent (10 lbs/ton bleach) or 2.5 ml of 0.165 percent (15 lbs/ton bleach) aqueous sodium hydrosulfite. The bleached sheets were then pressed, dried, and conditioned as in Example 2 prior to re-testing. The results are shown in Table 3.

WO 96/20308

PCT/US95/14995

- 11 -

TABLE 3

SODIUM HYDROSULFITE BLEACHING							
Sheet Type	% Filler	PH	Basis Wt.	Brightness No Bleach	Brightness 10 lbs/ton Bleach	Brightness 15 lbs/ton Bleach	Increase in Brightness (10 lbs/ton)
Base Stock (No filler)	0	5.4	41.0	55.0	57.7	57.2	+2.7
Precipitated Calcium Carbonate	10.0	8.8	40.8	55.1	60	60.1	+4.9
ANSILEX Calcined Clay	5.4	5.4	41.0	58.4	61.5	61.6	+3.1
Fax Chalk	5.0	6.3	41.4	55.8	60.1	60.1	+4.3
Kanzaki Talc	4.8	5.8	41.0	55.4	58.8	58.9	+3.4

WO 96/20308

PCT/US95/14995

- 12 -

As can be seen in the preceding
Examples, bleaching filled paper results in
improved paper brightness. This novel method is
simple, efficient, and readily adaptable to most
5 paper producing processes.